

Phlebotomy

Study ID

--	--	--	--	--	--	--	--

1 Location of blood draw: *location* *idno*

Non-Clinic

Clinic

2 Do you bleed or bruise easily? *bleed*

₁ Yes

₀ No

₉ Don't Know/Refused

3 Have you ever been told you have a disorder related to blood clotting or coagulation? *clot*

₁ Yes

₀ No

₉ Don't Know/Refused

4 Have you ever experienced fainting spells while having blood drawn? *faint*

₁ Yes

₀ No

₉ Don't Know/Refused

5 How many hours has it been since you last ate or drank anything except water? *timeat*

--	--

 hours

6 Have you had a fever in the past two weeks? *fever*

₁ Yes

₀ No

₉ Don't Know/Refused

Phlebotomy

Procedure:

7 Time at start of venipuncture: *timstart*

: M

8 Elapsed time until tourniquet released: *tourntim*

Seconds (120-seconds optimum)

9 Time at end of venipuncture: *timend*

: M

10 Was any blood drawn? *drdone*

- ₁ Yes
- ₂ No, refused
- ₃ No, hard to stick

serum
edta
serum2
edta2
cbc

Full	Partial	None	
<input type="radio"/> ₁	<input type="radio"/> ₂	<input type="radio"/> ₀	10 ml Serum
<input type="radio"/> ₁	<input type="radio"/> ₂	<input type="radio"/> ₀	10 ml EDTA
<input type="radio"/> ₁	<input type="radio"/> ₂	<input type="radio"/> ₀	10 ml Serum
<input type="radio"/> ₁	<input type="radio"/> ₂	<input type="radio"/> ₀	10 ml EDTA
<input type="radio"/> ₁	<input type="radio"/> ₂	<input type="radio"/> ₀	CBC Tube

₄ No, other reason (please specify) *drother*

Phlebotomy

Procedure continued:

11 Quality of venipuncture: *quality*

₁ Traumatic

- ₁ Vein collapse *veincol*
- ₂ Hematoma *hematoma*
- ₃ Excessive duration of draw *exdur*
- ₄ Multiple sticks *multstk*
- ₅ Vein hard to get *harddraw*
- ₆ Leakage at venipuncture site *leakage*

₂ Clean

<i>phlbid</i>			<i>blooddt</i>								
					/		/				
Phlebotomist ID			Date of Blood Draw								